



SERIESAMMANSTÄLLNING

SAS Mixed Procedure

Vårrys 2005

Mätare SW Agat

Avkastning och egenskaper A-G.

FÖRSÖKSLED	Vattenhalt %		Tusen-kornv. g		Råfett %		Prot i mjöl		Kloro-fyll ppm		Mognad dagar		Plant täthet vår %								
	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant					
Bor Hohto, 4132 EU (SSd)	12,9	100	6	2,2	88*	2	45,4	97*3	6	39,4	96	2	4	126	6	104	100	2	95	99	2
SW Petita, F3164	12,4	97	6	2,3	95	2	48,4	103*3	6	41,1	101	2	5	142	6	105	101	2	96	99	2
AA3301, Surprise (SSd)	12,9	100	6	2,5	101	2	46,7	100	6	39,6	97	2	3	95	6	105	101	2	91	95	2
SW Agat, B3157	12,9	100a	6	2,5	100a	2	46,8	100a	6	40,9	100a	2	3	100a	6	104	100a	2	96	100a	2
-X- CV% REP	12,8	3,4	6	2,4	2,9	2	46,8	0,8	6	40,2	1,8	2	4	39,2	6	104	2,3	2	95	2,1	2
LSD PROB F1	0,5	.2188		0,2	.0495		0,5	.0001		2,3	.2096		2	.2675		8	.9708		6	.2243	



SERIESAMMANSTÄLLNING

SAS Mixed Procedure

Vårrys 2001 - 2005

Mätare SW Agat

Avkastning och egenskaper A-G.

FÖRSÖKSLED	Frö			Råfett			Omr A			Omr D			Omr E			Omr F			Omr G		
	skörd kg/ha 9% vh	Rel	Ant	kg/ha	Rel	Ant	kg/ha	Rel	Ant	kg/ha	Rel	Ant	kg/ha	Rel	Ant	kg/ha	Rel	Ant	kg/ha	Rel	Ant
Bor Hohto, 4132 EU (SSd)	2100	103*2	34	830	100	34	900	96	2	850	102	3	870	101	11	810	99	16	700	99	2
SW Petita, F3164	2210	109*3	27	920	111*3	27	1000	107	2	910	109	2	960	111*3	8	910	112*3	13	740	105	2
SW Agat, B3157	2030	100a	34	840	100a	34	940	100a	2	830	100a	3	870	100a	11	820	100a	16	710	100a	2
-X- CV% REP	2110	4,3	34	860	4,8	34	940	4,9	2	860	7,1	3	900	5,0	11	850	4,6	16	720	4,4	2
LSD PROB F1	50	.0001		20	.0001		200	.2791		180	.5068		40	.0007		30	.0001		140	.4959	



SERIESAMMANSTÄLLNING

SAS Mixed Procedure

Värrybs 2001 - 2005

Mätare SW Agat

Avkastning och egenskaper A-G.

FÖRSÖKSLED	2001	D-G		2002	D-G		2003	D-G		2004	D-G		2005	D-G							
	Råfett kg/ha	Rel	Ant	Råfett kg/ha	Rel	Ant	Råfett kg/ha	Rel	Ant	Råfett kg/ha	Rel	Ant	Råfett kg/ha	Rel	Ant						
Bor Hohto, 4132 EU (SSd)	730	102	7	970	102	6	740	99	6	850	99	7	860	96	6						
SW Petita, F3164				1040	110*2	6	840	113*3	6	950	111*3	7	950	107*	6						
SW Agat, B3157	720	100a	7	950	100a	6	740	100a	6	860	100a	7	890	100a	6						
-X- CV% REP	730	9,2	7	990	4,2	6	770	4,5	6	890	4,2	7	900	4,1	6						
LSD PROB F1	90	.7573		50	.0058		40	.0008		40	.0004		50	.0037							



SERIESAMMANSTÄLLNING

SAS Mixed Procedure

Vårrys 2001 - 2005

Mätare SW Agat

Avkastning och egenskaper A-G.

FÖRSÖKSLED	Vattenhalt %		Tusen-kornv. g		Råfett %		Prot i mjöl		Kloro-fyll ppm		Bomulls-mögel %		Mognad dagar								
	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant	Rel	Ant					
Bor Hohto, 4132 EU (SSd)	14,9	99	34	2,3	90*3	12	43,6	96*3	34	39,0	98*	18	5	102	34	21	112	8	109	99	19
SW Petita, F3164	14,4	95*2	27	2,5	97*	12	46,0	102*3	27	39,3	99	11	5	100	27	20	104	7	109	99	15
SW Agat, B3157	15,1	100a	34	2,5	100a	12	45,2	100a	34	39,6	100a	18	5	100a	34	19	100a	8	110	100a	19
-X- CV% REP	14,8	6,6	34	2,4	2,8	34	44,9	1,2	34	39,3	2,0	34	5	21,4	34	20	36,2	34	109	1,8	34
LSD PROB F1	0,5	.0300		0,1	.0001		0,3	.0001		0,6	.0461		1	.8842		8	.8263		1	.0996	

