



SERIESAMMANSTÄLLNING

SAS Mixed Procedure

Vårrens 2004

Mätare: SW Stratos. Avkastning och egenskaper A-G.

| FÖRSÖKSLED | Frö skörd | Rel | Ant | Råfett | Rel | Ant | Omr A | Rel | Ant | Omr D | Rel | Ant | Omr E | Rel | Ant | Omr F | Rel | Ant | A-C | Rel | Ant | | | | |
|--------------------------|-------------|-------------|-----------|-------------|-------------|-----------|-------------|-------------|----------|------------|-------------|----------|------------|-------------|----------|-------------|-------------|----------|-------------|-------------|----------|--|--|--|--------|
| | kg/ha | | | kg/ha | | | Råfett | | | Råfett | | | Råfett | | | Råfett | | | Råfett | | | | | | Råfett |
| | 9% vh | | | | | | | | | | | | | | | | | | | | | | | | |
| SW Holary (E2803) | 2310 | 94* | 9 | 950 | 89*3 | 9 | 1000 | 91 | 2 | 700 | | 1 | 860 | 89*2 | 3 | 1080 | 88* | 3 | 1000 | 91 | 2 | | | | |
| SW G2810 | 2540 | 103 | 15 | 1090 | 102 | 15 | 1110 | 101 | 3 | 750 | 95 | 2 | 1000 | 103 | 4 | 1260 | 103 | 6 | 1110 | 101 | 3 | | | | |
| SW H2816 | 2710 | 110*3 | 15 | 1170 | 110*3 | 15 | 1250 | 113*2 | 3 | 920 | 118 | 2 | 1030 | 107 | 4 | 1320 | 108* | 6 | 1250 | 113*2 | 3 | | | | |
| SW H2818 | 2770 | 113*3 | 6 | 1160 | 109*2 | 6 | 1180 | | 1 | 840 | | 1 | 1050 | | 1 | 1330 | 109 | 3 | 1180 | | 1 | | | | |
| SW H2817 | 2560 | 104 | 6 | 1060 | 99 | 6 | 1100 | | 1 | 730 | | 1 | 1030 | | 1 | 1190 | 97 | 3 | 1100 | | 1 | | | | |
| DSV Ability (SSd) | 2410 | 98 | 9 | 1010 | 94* | 9 | 1140 | 103 | 2 | 700 | | 1 | 940 | 97 | 3 | 1080 | 88* | 3 | 1140 | 103 | 2 | | | | |
| GBR Heros (SSd) | 2600 | 106* | 9 | 1120 | 105* | 9 | 1210 | 110* | 2 | 840 | | 1 | 1010 | 104 | 3 | 1250 | 102 | 3 | 1210 | 110* | 2 | | | | |
| SW Stratos (2785) | 2460 | 100a | 15 | 1070 | 100a | 15 | 1100 | 100a | 3 | 790 | 100a | 2 | 970 | 100a | 4 | 1220 | 100a | 6 | 1100 | 100a | 3 | | | | |
| -X- CV% REP | 2540 | 5,1 | 15 | 1080 | 5,0 | 15 | 1140 | 4,1 | 3 | 780 | 6,1 | 2 | 990 | 4,5 | 4 | 1210 | 6,1 | 6 | 1140 | 4,1 | 3 | | | | |
| LSD PROB F1 | 130 | .0001 | | 50 | .0001 | | 120 | .0149 | | 280 | .2141 | | 100 | .0112 | | 120 | .0017 | | 120 | .0149 | | | | | |



SERIESAMMANSTÄLLNING

SAS Mixed Procedure

Vårrens 2004

Mätare: SW Stratos. Avkastning och egenskaper A-G.

| FÖRSÖKSLED | D-G Råfett kg/ha | | Vattenhalt % | | Tusen-kornv. g | | Råfett % | | Prot i mjöl | | Kloro-fyll ppm | | Bomulls-mögel % | | Svart-fläck % | | | | | | | | | |
|--------------------------|------------------|-------------|--------------|-------------|----------------|-----------|------------|-------------|-------------|-------------|----------------|-----------|-----------------|-------------|---------------|----------|-------------|-----------|----------|-------------|----------|-----------|-------------|----------|
| | Rel | Ant | Rel | Ant | Rel | Ant | Rel | Ant | Rel | Ant | Rel | Ant | Rel | Ant | Rel | Ant | | | | | | | | |
| SW Holary (E2803) | 940 | 89*3 | 7 | 13,9 | 103 | 9 | 4,1 | 111*2 | 3 | 45,4 | 95*3 | 9 | 41,3 | 94*2 | 3 | 5 | 63* | 9 | 10 | 108 | 5 | 25 | 106 | 2 |
| SW G2810 | 1090 | 102 | 12 | 12,9 | 95* | 15 | 5,0 | 137*3 | 6 | 47,3 | 99*2 | 15 | 44,3 | 100 | 6 | 7 | 96 | 15 | 10 | 109 | 8 | 24 | 100 | 3 |
| SW H2816 | 1160 | 109*3 | 12 | 12,7 | 94*2 | 15 | 4,1 | 111*3 | 6 | 47,6 | 100 | 15 | 43,4 | 98 | 6 | 4 | 51*3 | 15 | 9 | 105 | 8 | 21 | 86 | 3 |
| SW H2818 | 1160 | 109*2 | 5 | 13,3 | 98 | 6 | 4,4 | 121*3 | 3 | 46,2 | 97*3 | 6 | 43,2 | 98 | 3 | 3 | 34*3 | 6 | 15 | 170*2 | 3 | 23 | | 1 |
| SW H2817 | 1050 | 98 | 5 | 13,7 | 101 | 6 | 4,2 | 114*3 | 3 | 45,4 | 95*3 | 6 | 44,7 | 101 | 3 | 9 | 116 | 6 | 8 | 93 | 3 | 23 | | 1 |
| DSV Ability (SSd) | 980 | 92*2 | 7 | 14,4 | 106* | 9 | 3,8 | 104 | 3 | 46,3 | 97*3 | 9 | 40,8 | 93*3 | 3 | 4 | 58*2 | 9 | 10 | 108 | 5 | 26 | 109 | 2 |
| GBR Heros (SSd) | 1100 | 104 | 7 | 13,4 | 99 | 9 | 4,0 | 107* | 3 | 47,4 | 99 | 9 | 41,4 | 94*2 | 3 | 6 | 85 | 9 | 10 | 108 | 5 | 20 | 85 | 2 |
| SW Stratos (2785) | 1060 | 100a | 12 | 13,5 | 100a | 15 | 3,7 | 100a | 6 | 47,8 | 100a | 15 | 44,1 | 100a | 6 | 8 | 100a | 15 | 9 | 100a | 8 | 24 | 100a | 3 |
| -X- CV% REP | 1070 | 5,3 | 12 | 13,5 | 5,9 | 15 | 4,2 | 4 | 6 | 46,7 | 1,2 | 15 | 42,9 | 2,4 | 6 | 6 | 42,8 | 15 | 10 | 29,9 | 8 | 23 | 7,5 | 3 |
| LSD PROB F1 | 60 | .0001 | | 0,8 | .0002 | | 0,3 | .0001 | | 0,5 | .0001 | | 1,7 | .0013 | | 2 | .0001 | | 4 | .2043 | | 5 | .0810 | |

